

L Number	Hits	Search Text	DB	Time stamp
1	5	((("6057836") or ("5950000") or ("6405225") or ("6115039") or ("6348935")).PN.	USPAT	2003/12/18 13:52
2	5	((("6057836") or ("5950000") or ("6405225") or ("6115039") or ("6348935")).PN.) and (toolbar ((tool menu) adj1 bar))	USPAT	2003/12/18 13:55
3	5	((("6057836") or ("5950000") or ("6405225") or ("6115039") or ("6348935")).PN.) and (toolbar ((tool command menu) adj1 bar))	USPAT	2003/12/18 15:05
4	5	((("6057836") or ("5950000") or ("6405225") or ("6115039") or ("6348935")).PN.) and (toolbar ((tool command menu) adj1 bar)) and (menu tool (application near2 (state status)))	USPAT	2003/12/18 15:04
5	31513	application near2 (state mode)	USPAT	2003/12/18 15:04
6	18	(application near2 (state mode)) with (toolbar menubar ((tool command menu) adj1 bar))	USPAT	2003/12/18 15:59
7	146	(context\$6 mode state) with (application program software) with (toolbar menubar ((tool command menu) adj1 bar))	USPAT	2003/12/18 15:48
8	171856	(context\$6 mode state) with (application program software)	USPAT	2003/12/18 15:14
9	146	((context\$6 mode state) with (application program software) with (toolbar menubar ((tool command menu) adj1 bar))) and ((context\$6 mode state) with (application program software) )	USPAT	2003/12/18 16:03
10	2583	(context\$6 mode state) with (application program software) with (menu tool)	USPAT	2003/12/18 16:20
11	191	(dynamic\$4 context\$6 reconfigurab\$2) with (toolbar menubar ((tool command menu) adj1 bar))	USPAT	2003/12/18 16:31
12	58	((context\$6 mode state) with (application program software) with (menu tool)) and ((dynamic\$4 context\$6 reconfigurab\$2) with (toolbar menubar ((tool command menu) adj1 bar)))	USPAT	2003/12/18 15:50
13	7	((context\$6 mode state) with (application program software) with (menu tool)) and ((dynamic\$4 context\$6 reconfigurab\$2) with (toolbar menubar ((tool command menu) adj1 bar))) not ((context\$6 mode state) with (application program software) with (toolbar menubar ((tool command menu) adj1 bar))) and ((context\$6 mode state) with (application program software) )	USPAT	2003/12/18 15:55
14	7564	multitask\$3 multi-task\$3 multiwindow multi-window	USPAT	2003/12/18 15:56
15	31	((((context\$6 mode state) with (application program software) with (toolbar menubar ((tool command menu) adj1 bar))) and ((context\$6 mode state) with (application program software) )) ((context\$6 mode state) with (application program software) with (menu tool)) and ((dynamic\$4 context\$6 reconfigurab\$2) with (toolbar menubar ((tool command menu) adj1 bar)))) not ((context\$6 mode state) with (application program software) with (toolbar menubar ((tool command menu) adj1 bar))) and ((context\$6 mode state) with (application program software) )) ((application near2 (state mode)) with (toolbar menubar ((tool command menu) adj1 bar)))) and (multitask\$3 multi-task\$3 multiwindow multi-window)	USPAT	2003/12/18 15:56
16	12	((("6384849") or ("6232972") or ("6629129") or ("6278450") or ("6232972") or ("6133915") or ("6057836") or ("5892512") or ("5828376") or ("5742504") or ("5664133") or ("5625783") or ("5297249")).PN.	USPAT	2003/12/18 16:05

17	12	((("6384849") or ("6232972") or ("6629129") or ("6278450") or ("6232972") or ("6133915") or ("6057836") or ("5892512") or ("5828376") or ("5742504") or ("5664133") or ("5625783") or ("5297249")).PN.) and (windows applications)	USPAT	2003/12/18 16:06
18	171856	(context\$6 mode state) with (application program software)	USPAT	2003/12/18 16:20
19	74	((dynamic\$4 context\$6 reconfigurab\$2) with (toolbar menubar ((tool command menu) adj1 bar))) same ((context\$6 mode state) with (application program software) )	USPAT	2003/12/18 16:20
20	28	(multitask\$3 multi-task\$3 multiwindow multi-window) and (((dynamic\$4 context\$6 reconfigurab\$2) with (toolbar menubar ((tool command menu) adj1 bar))) same ((context\$6 mode state) with (application program software) ))	USPAT	2003/12/18 16:20
21	5081	(dynamic\$4 context\$6 reconfigurab\$2) with (menu tool toolbar menubar ((tool command menu) adj1 bar))	USPAT	2003/12/18 16:34
22	538	((context\$6 mode state) with (application program software) ) same ((dynamic\$4 context\$6 reconfigurab\$2) with (menu tool toolbar menubar ((tool command menu) adj1 bar)))	USPAT	2003/12/18 16:33
23	17090	(application window) with focus\$3	USPAT	2003/12/18 16:33
25	150	(pointer) with (menu tool toolbar menubar ((tool command menu) adj1 bar)) with (state mode context)	USPAT	2003/12/18 16:39
26	2	((((context\$6 mode state) with (application program software) ) same ((dynamic\$4 context\$6 reconfigurab\$2) with (menu tool toolbar menubar ((tool command menu) adj1 bar)))) and ((application window) with focus\$3)) and ((pointer) with (menu tool toolbar menubar ((tool command menu) adj1 bar)) with (state mode context))	USPAT	2003/12/18 16:36
27	8	((pointer) with (menu tool toolbar menubar ((tool command menu) adj1 bar)) with (state mode context)) with application	USPAT	2003/12/18 16:37
28	203	(property) with (menu tool toolbar menubar ((tool command menu) adj1 bar)) with (state mode context)	USPAT	2003/12/18 16:39
29	203	((property) with (menu tool toolbar menubar ((tool command menu) adj1 bar)) with (state mode context)) with (menu tool toolbar menubar ((tool command menu) adj1 bar)) with (state mode context)	USPAT	2003/12/18 16:40
30	1	((((context\$6 mode state) with (application program software) ) same ((dynamic\$4 context\$6 reconfigurab\$2) with (menu tool toolbar menubar ((tool command menu) adj1 bar)))) and ((application window) with focus\$3)) and (((property) with (menu tool toolbar menubar ((tool command menu) adj1 bar)) with (state mode context)) with (menu tool toolbar menubar ((tool command menu) adj1 bar)) with (state mode context))	USPAT	2003/12/18 16:40
24	84	((context\$6 mode state) with (application program software) ) same ((dynamic\$4 context\$6 reconfigurab\$2) with (menu tool toolbar menubar ((tool command menu) adj1 bar)))) and ((application window) with focus\$3)	USPAT	2003/12/18 16:41

US-PAT-NO:

6437810

DOCUMENT-IDENTIFIER: US 6437810 B1

\*\*See image for Certificate of Correction\*\*

TITLE: Shell extensions for an  
operating system

----- KWIC -----

Abstract Text - ABTX (1):

An operating system provides extensions through which application developers may extend the capabilities of a shell of the operating system. For example, application developers may add menu items to context menus for objects that are visible within an integrated system name space. In addition, developers may add property sheet pages for such objects. Application developers also have the option of providing per-instance icons for each instance of an object. Application developers may provide data object extension handlers for customizing data sources on a per-object class basis and may provide drop target extension handlers on a per-object class basis to customize drop target behavior. Developers may additionally provide copy-hook handlers to regulate file system operations on objects. Developers may also extend the functionality provided by the shell of the operating system by adding their own custom name spaces to the integrated system name space. The mechanism provided